


Days Implanted Prior to Slaughter						
360 - 240		240 - 140		140 - 60		
BW	300 - 600 lbs		600 - 900 lbs		900 - 1200 lbs	
Aggressive	← Rev XS or XH →			Rev 200		
	Rev IS or IH		Rev S or H		Rev 200	
	Comp TE-IS or TE-IH		Comp TE-S or TE-H		Comp TE-200	
	← Syn ONE Feedlot →			Syn Plus		
Moderate	Syn S or H		Syn Choice		Syn Plus	
	Rev G		← Rev XS or XH →			
	Rev G		Rev IS or IH		Rev S or H	
	Comp G		Comp TE-IS or TE-IH		Comp TE-S or TE-H	
	Rev G		Syn S or H		Syn Choice	
	Syn S or H		← Syn ONE Feedlot →			
	← Syn ONE Grass →			Syn Choice		
	Suckling 100 - 300 lbs - Ralgro, Syn C, Rev G, Comp G, or Comp C					



GREAT PLAINS Livestock Consulting, Inc.
402-781-9378 www.GPLC-Inc.com

Approved Location for Implant Administration



TIPS

- Guns and trays are usually free from implant supplier
 - Press firmly on the injection site when removing the needle to prevent pellet loss
 - Less infection means less bullers & better performance
 - Implant in clean, dry ear
 - Disinfect needle between each calf implanted
 - Place in middle 1/3 of ear to avoid vessels and under skin avoiding cartilage
- If the tip of the ear is missing, place implant in the outer one-half of the remaining ear.
 - If the middle of the ear has been damaged, place implant in the top-middle third of the ear.